

COMPOUND LOCOMOTIVES

BY

ARTHUR TANNATT WOODS

M. M. E. (CORNELL UNIV.)

LATE ASSISTANT ENGINEER UNITED STATES NAVY; PROFESSOR OF MECHANICAL ENGINEERING,
UNIVERSITY OF ILLINOIS, AND PROFESSOR OF DYNAMIC ENGINEERING, WASHINGTON UNI-
VERSITY; MEMBER OF THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS;
MEMBER OF THE AMERICAN SOCIETY OF NAVAL ENGINEERS; ASSOCIATE
MEMBER OF THE AMERICAN RAILWAY MASTER MECHANICS
ASSOCIATION, ETC., ETC.

SECOND EDITION, REVISED AND ENLARGED

BY

DAVID LEONARD BARNES, A.M., C. E.

MEMBER OF THE AMERICAN SOCIETY OF CIVIL ENGINEERS; MEMBER OF THE AMERICAN SOCIETY
OF MECHANICAL ENGINEERS; ASSOCIATE MEMBER OF THE AMERICAN RAILWAY
MASTER MECHANICS ASSOCIATION; ASSOCIATE MEMBER OF THE MASTER
CAR BUILDERS ASSOCIATION, ETC., ETC.

CHICAGO

THE RAILWAY AGE AND NORTHWESTERN RAILROADER

1893

LONDON: WEGAN PAUL, TRENCH, TRÜBNER & CO., LTD.
PATERNOSTER HOUSE, CHARING CROSS ROAD.

TABLE OF CONTENTS.

CHAPTER I.

ELEMENTARY INDICATOR CARDS.

ARTICLE	PAGE
1. Types of Compound Locomotives Commonly Used. - - -	2
2. Receiver Type of Elementary Indicator Cards. - - -	2
3. Non-Receiver Type of Elementary Indicator Card. - - -	4

CHAPTER II.

CLEARANCE, COMPRESSION, AND CONSTRUCTION OF THE EXPANSION CURVE.

4. Clearance. - - - - -	9
5. Construction of the Expansion Curve. - - - - -	10
6. Compression. - - - - -	11

CHAPTER III.

MEAN EFFECTIVE PRESSURE.

7. Formula for Calculating Mean Effective Pressure. - - -	17
8. Difference Between Calculated and Actual Mean Effective Pressure. - - -	18
9. Decrease of Mean Effective Pressure as Speed Increases. - - -	19
10. Effect on Draw Bar Pull of Decrease of Mean Effective Pressure as Speed Increases. - - - - -	19
11. Increase of Per Cent. of Total Power Consumed by Locomotives and Tenders which follows a Decrease of Mean Effective Pressure Due to Speed. - - - - -	20

CHAPTER IV.

DIFFERENCES BETWEEN ELEMENTARY AND ACTUAL INDICATOR CARDS.

12. Difference Between Apparent and Actual Cut-off. - - - -	25
13. Difference Between Actual and Elementary Mean Effective Pres- sures in High-Pressure Cylinder. - - - - -	26
14. Differences Between Actual and Elementary Mean Effective Pres- sures in Low-Pressure Cylinder. - - - - -	29

ARTICLE	PAGE
15. Differences Between Actual Work done in Cylinder and the Work shown by Elementary Indicator Cards. - - - - -	31
16. Indicator Cards in Practice. - - - - -	32
17. Drop in Pressure During Admission, High-Pressure Cylinder. - - - - -	33
18. Rise in Pressure During Admission, Low-Pressure Cylinder. - - - - -	33
19. Effect of Speed on Shape of Indicator Cards. - - - - -	35

CHAPTER V.

EFFECT OF CHANGING THE POINT OF CUT-OFF—PRESSURE IN THE RECEIVER.

20. Effect of Changing Cut-off in Elementary Engine. - - - - -	38
21. Effect of a Change of Cut-off on the Receiver Pressure in an Elementary Engine. - - - - -	40
22. Equalization of Work in the High and Low-Pressure Cylinders of a Receiver Compound. - - - - -	42
23. Equalization of Work in the High and Low-Pressure Cylinders of a Non-Receiver Compound. - - - - -	43
24. Conclusions About Equalization of Work in High and Low-Pressure Cylinders. - - - - -	44
25. Pressure in the Receiver. - - - - -	44
26. Loss Due to Drop of Pressure in Receiver. - - - - -	47

CHAPTER VI.

COMBINED INDICATOR CARDS AND WEIGHT OF STEAM USED PER STROKE.

27. Combined Diagram, Receiver Type. - - - - -	48
28. The Rectangular Hyperbola as a Reference Curve. - - - - -	49
29. Location of Rectangular Hyperbola for Reference. - - - - -	51
30. Weight of Steam Used per Stroke. - - - - -	51
31. Weight of Steam Retained in Cylinder at End of Compression. - - - - -	52
32. Limitations of Combined Diagrams. - - - - -	53
33. Re-Evaporation in Receiver. - - - - -	54
34. Condensation in Receiver. - - - - -	54
35. What is Shown by Reference Curve on Combined Diagrams. - - - - -	55
36. Ideal Combined Diagram. - - - - -	55
37. Combined Diagram from Non-Receiver or Woolf Type. - - - - -	57
38. Method of Combining Indicator Cards from Non-Receiver Type. - - - - -	58
39. Losses Shown by Combined Diagram from Non-Receiver Type. - - - - -	61
40. Correct Area of Combined Diagram, Non-Receiver Type. - - - - -	63
41. Reference Curve for Combined Diagram, Non-Receiver Type. - - - - -	63
42. Weight of Steam per Stroke. - - - - -	64
43. Other Reference Curves for Combined Diagrams. - - - - -	65
44. Weight of Steam per Stroke, Various Compound Locomotives. - - - - -	66

TABLE OF CONTENTS.

ix

CHAPTER VII.

TOTAL EXPANSION. RATIO OF CYLINDERS.		
ARTICLE		PAGE
45.	Total Expansion from Elementary Indicator Cards. - - - -	69
46.	Total Expansion from Actual Indicator Cards. - - - -	69
47.	Ratio of Cylinders, Elementary Formulas for. - - - -	72
48.	Ratio of Cylinders as Affected by Maximum Width of Locomotive.	72
49.	Ratios of Cylinders Commonly Used. - - - -	73
50.	Ratio of Cylinders as Affecting Equalization of Power in Two-Cylinder Receiver Compounds. - - - -	74
51.	Ratio of Cylinders and Equalization of Power in Non-Receiver Compounds. - - - -	75
52.	Ratio of Cylinder Volumes to the Work to be Done. - - - -	76

CHAPTER VIII.

RECEIVER CAPACITY, RE-HEATING AND SEQUENCE OF CRANKS.		
53.	Receiver Capacity. - - - -	80
54.	Re-Heating and Steam Jackets. - - - -	80
55.	Smoke Box Temperatures. - - - -	82
56.	Sequence of Cranks. - - - -	83

CHAPTER IX.

MAXIMUM STARTING POWER OF LOCOMOTIVES.		
57.	Starting with Close Coupled Cars and with Free Slack. - - -	84
58.	Starting of Two-Cylinder Receiver Compounds Without an Independent Exhaust for the High-Pressure Cylinder. - - -	84
59.	Starting of Two-Cylinder Receiver Compounds with Independent Exhaust for High-Pressure Cylinder. - - - -	85
60.	Starting of Four-Cylinder Two-Crank Receiver and Non-Receiver Compounds. - - - -	85
61.	Starting of Four-Cylinder Four-Crank Compounds with Receivers. -	86
62.	Starting and Hauling Power of Single Expansion Locomotives. -	86
63.	Graphical Representation of Hauling Power. - - - -	87
64.	Starting Power with Mallet's System and other Non-Automatic Starting Gears. - - - -	90
65.	Starting Power with Worsdell, von Borries and other Automatic Starting Gears. - - - -	91
66.	Starting Power with the Lindner system. - - - -	94
67.	Starting Power of Three-Cylinder Three-Crank Compounds. - -	95
68.	Variation of Hauling Power with Four-Cylinder Two-Crank Receiver and Non-Receiver Compounds. - - - -	95

CHAPTER X.

CONDENSATION IN CYLINDERS.

ARTICLE	PAGE
69. Range of Temperature. - - - - -	97
70. Need of Covering Hot Surfaces to Prevent Radiation. - - - - -	97
71. Condensation, Leakage of Valves and Re-Evaporation as Determined from Indicator Cards. - - - - -	98
72. Examples of Determination of Condensation, Leakage, and Re-Evaporation from Various Indicator Cards. - - - - -	102

CHAPTER XI.

THE VALVE GEAR ADJUSTMENTS.

73. Mallet's System of Cut-Off Adjustment. - - - - -	106
74. Chicago, Burlington & Quincy System. - - - - -	108
75. Heintzelman System. - - - - -	109
76. The Rogers Locomotive Works Link Hanger Adjustment. - - - - -	111
76a. Different Adjustments of Cut-Offs that have been Used for Compound Locomotives. - - - - -	111

CHAPTER XII.

MAIN VALVES.

77. Lap, Travel, and Size of Ports. - - - - -	122
78. Piston Valves. - - - - -	122
79. Some Effects of Inadequate Valve Motions. - - - - -	123
80. Effect of Long Valve Travel and Inside Clearance or Negative Lap. - - - - -	124
81. Conclusions about Main Valve Dimensions. - - - - -	130

CHAPTER XIII.

STEAM PASSAGES—ACTION OF EXHAUST.

82. Size of Steam Passages and Loss Due to Wire-Drawing. - - - - -	132
83. Effect of Exhaust on Fire and on Back Pressure. - - - - -	135

CHAPTER XIV.

EFFECT OF HEAVY RECIPROCATING PARTS.

84. Weight of Reciprocating Parts. - - - - -	139
85. Advantage of Large Drivers. - - - - -	140
86. Counterbalancing of Reciprocating Parts. - - - - -	140
87. Marine Practice in Counterbalancing. - - - - -	140
88. Effect of Decreasing Weight of Reciprocating Parts and Increasing Diameter of Drivers. - - - - -	144
89. Distribution of Centrifugal Tendency of Counterbalance over the Track. - - - - -	144

TABLE OF CONTENTS.

XI

CHAPTER XV.

DESCRIPTION OF TWO-CYLINDER RECEIVER COMPOUNDS, WITH AUTOMATIC INTERCEPTING VALVE STARTING GEARS, AND WITHOUT SEPARATE EXHAUST FOR HIGH-PRESSURE CYLINDER AT STARTING.

ARTICLE	PAGE
90. The von Borries System in 1889. - - - - -	147
91. The von Borries System as used on the Jura, Berne-Lucerne Railway.	150
92. A Modification of the von Borries System. - - - - -	151
93. Recent Changes in the von Borries System. - - - - -	153
94. The Worsdell System. - - - - -	155
95. A Modification of the Worsdell System. - - - - -	157
96. The Schenectady Locomotive Works (Pitkin) System. - - -	160
97. A Modification of the Schenectady Locomotive Works (Pitkin) System. - - - - -	165
98. The Dean System. - - - - -	165
99. A Modification of the Dean System. - - - - -	169
100. The Brooks Locomotive Works (Player) System. - - - - -	171
101. The Rogers Locomotive Works System. - - - - -	178
102. The Baldwin Locomotive Works System. - - - - -	

CHAPTER XVI.

DESCRIPTION OF TWO-CYLINDER RECEIVER COMPOUNDS, WITH AUTOMATIC STARTING GEAR AND WITHOUT SEPARATE EXHAUST FOR HIGH-PRESSURE CYLINDER AT STARTING, AND WITHOUT INTERCEPTING VALVE. THE LINDNER SYSTEM; THE COOKE LOCOMOTIVE WORKS SYSTEM; THE GÖLSDORF (AUSTRIAN) SYSTEM.

103. The Lindner System. - - - - -	181
104. A Modification of the Lindner System. - - - - -	184
105. The Lindner System as Used on the Saxon State Railroad; The Meyer-Lindner Duplex Compound. - - - - -	185
106. The Lindner System on the Chicago, Burlington & Quincy Railroad.	188
107. The Lindner System on the Pennsylvania Railroad. - - - - -	192
108. The Cooke Locomotive Works System. - - - - -	194
109. The Gölsdorf (Austrian) System. - - - - -	

CHAPTER XVII.

DESCRIPTION OF TWO-CYLINDER RECEIVER COMPOUNDS, WITH INTERCEPTING VALVE, AND WITH SEPARATE EXHAUST FOR HIGH-PRESSURE CYLINDER AT STARTING.

110. The Mallet System. - - - - -	196
111. The Early Form of the Mallet System. - - - - -	201
112. Preliminary Work of Mallet. - - - - -	202
113. Rhode Island Locomotive Works (Batchellor) System. - - -	

ARTICLE	PAGE
114. The Richmond Locomotive Works (Mellin) System. - - -	205
115. The Pittsburgh Locomotive Works (Colvin) System. - - -	208
116. von Borries' Latest System. - - - - -	209

CHAPTER XVIII.

DESCRIPTION OF FOUR-CYLINDER NON-RECEIVER COMPOUNDS, "CONTINUOUS" EXPANSION OR WOOLF TYPE, VAUCLAIR AND NON-RECEIVER TANDEM TYPES.

117. The Dunbar System. - - - - -	211
118. The Du Bousquet (Woolf) System on the Northern Railway of France. - - - - -	211
119. Indicator Cards from the Du Bousquet (Woolf) Compound. - - -	213
120. Baldwin Locomotive Works (Vauclair) System. - - -	215
121. Distribution of Pressure on Pistons. - - - - -	228
122. Advantages Claimed for the Baldwin Locomotive Works (Vauclair) System. - - - - -	232
123. The Johnstone System on the Mexican Central Railway. - - -	233

CHAPTER XIX.

DESCRIPTION OF FOUR-CYLINDER, TWO-CRANK RECEIVER COMPOUNDS—TANDEM RECEIVER TYPES.

124. Tandem Compounds on the Hungarian State Railway. - - -	235
125. Tandem Compounds on the Southwestern Railways of Russia. - - -	237
126. Indicator Cards from Tandem Compounds on the Southwestern Railways of Russia. - - - - -	238
127. The Brooks Tandem System. - - - - -	239

CHAPTER XX.

DESCRIPTION OF THREE AND FOUR-CRANK COMPOUNDS.

128. Webb System; Express Locomotives without Parallel Rods. - - -	244
129. Webb System; Freight Locomotives with Parallel Rods. - - -	245
130. Webb System on Pennsylvania Railroad. - - - - -	245
131. Three-Cylinder System Used on the Northern Railways of France. - - -	246
132. Valve Gear for Three-Cylinder Compound on Northern Railways of France. - - - - -	247
133. Summary of Three and Four-Crank Compounds. - - - - -	248
134. Miscellaneous Designs of Compounds that have Not been Put in Service. - - - - -	248

CHAPTER XXI.

SUMMARY ABOUT STARTING GEARS.

135. Automatic Starting Gears with Intercepting Valves. - - -	249
---	-----

TABLE OF CONTENTS.

xiii

ARTICLE	PAGE
136. Automatic Starting Gears Without Intercepting Valves. - - -	251
137. Non-Automatic Gears With Intercepting Valves and With Separate Exhausts for the High-Pressure Cylinders. - - - - -	251
138. Starting Gears for Four-Cylinder Compounds. - - - - -	252

CHAPTER XXII.

REASONS FOR ECONOMY IN COMPOUND LOCOMOTIVES.

139. Possibilities of Savings. - - - - -	254
140. Saving by Greater Expansion. - - - - -	255
141. Saving by Reduction of Condensation. - - - - -	256
142. Saving by more Complete Combustion. - - - - -	256
143. Saving in Fast Express and Passenger Service. - - - - -	257
144. Saving in Slow Grade Work and in Freight and Suburban Service.	257
145. How Saving is Affected by the Price of Fuel and Rate of Combustion.	258
146. Cost of Repairs. - - - - -	262
147. Methods of Operating to Gain Economy. - - - - -	264

CHAPTER XXIII.

SELECTION OF TYPE AND DETAILS OF DESIGN BEST ADAPTED FOR A
GIVEN SERVICE.

148. Four-Cylinder Four-Crank Types. - - - - -	269
149. Three-Cylinder Three-Crank Types. - - - - -	270
150. Four-Cylinder Tandem Two-Crank Types. - - - - -	270
151. Four-Cylinder Non-Tandem Two-Crank Types, With and Without Receivers. - - - - -	272
152. Two-Cylinder Two-Crank Receiver Types. - - - - -	275
153. In General About a Selection of a Suitable Design. - - -	277

APPENDIX.

A. Example of Calculation for Mean Effective Pressure during One Stroke. - - - - -	281
B. Example of Calculation for Mean Effective Pressure during Expansion.	281
C. Example of Calculation for Pressure in the Receiver. - - -	281
D. Final Pressure; Total Expansion. - - - - -	281
E. Drop in Pressure in Receiver. - - - - -	282
F. Mean Effective Pressure; Equivalent in One Cylinder. - - -	282
G. Example of Calculation for Mean Effective Pressure when Clearance is taken into Account. - - - - -	283
H. Derivation of Formula for Tractive Force. - - - - -	283
I. Some further Discussion of Three-Cylinder, Three-Crank Compounds.	284

	PAGE
J. Example of Modification of Elementary Indicator Cards to Approximate to Actual Cards for Non-Receiver Compounds. - - -	292
K. Some Further Discussion of Four-Cylinder Receiver Compounds. -	293
L. Diagram of Turning Moments of a Lindner Two-Cylinder Receiver Compound. - - - - - - - - - - - - - - -	299
M. Some Tests of Compound Locomotives in the United States. (Table I I.) - - - - - - - - - - - - - - -	301
N. Reported Savings of Compound Locomotives in the United States. (Table H H.) - - - - - - - - - - - - - - -	302
O. Formulas for Expansion Curve. - - - - - - - - - - - - - - -	303
P. Formula for Inertia of Reciprocating Parts. - - - - - - - - - -	303
Q. Comparative Cylinder Capacities of Compound Locomotives. (Table L.) - - - - - - - - - - - - - - -	305
R. Dimensions of Some of the more Prominent Compound Locomotives that have been Put into Actual Service, Chiefly in the United States. (Table C C.) - - - - - - - - - - - - - - -	307
Glossary. -	311
Index. -	315