Electrification of Railways

REPORT OF A COMMITTEE

APPOINTED BY

THE RAILWAY EXECUTIVE AND

THE LONDON TRANSPORT EXECUTIVE

LONDON BRITISH TRANSPORT COMMISSION

1951

CONTENTS

CHAPTER 1 INTRODUCTION Paragraphs Pages 1 to 18 1-3 CHAPTER II SUMMARY OF THE RECOMMENDATIONS OF THE PRINGLE COMMITTEE 19 5 Type of Current 5 Permissible Voltage 19 5 Standard Voltage of Motors 19 5 Generation and Frequency 19 5 19 . Method of Collection 5 19 Method of Contact ... 6 19 Interrunning 6 Standardisation of Third Rail and Overhead Equipment 19 Prevention of Electrolysis and of Inductive Interference 19 6 CHAPTER III PARTICULARS OF BRITISH RAILWAYS SYSTEM 21 Mileage Statistics (Table 1) ... 21 Rolling Stock Statistics (Table 2) Train Mile, Wagon Mile and Ton-mile Statistics 22 8 (Table 3) ... 23 Traffic Density (Table 4 and Map A) ... 8-9 Existing Systems of Electrification with Statistics (Table 5 and Maps B, C, D, E and F) ... 24 9-11 CHAPTER IV GENERAL JUSTIFICATION FOR RAILWAY ELECTRIFICATION Basic Factors ... 26 and 27 13 Stimulation of Traffic ... 28 13-14 Economic Justification in relation to Fixed Charges ... 29 14 The Criterion of Traffic Density... 30 to 32 14-15

CHAPTER V

OPERATING CONDITIONS ON BRITISH RAILWAYS: FUTURE TRENDS IN RELATION TO ELECTRIFICATION

			Paragraphs	Pages
Main Line Passenger Traffic	***		34	17
Suburban Traffic		·	35	17
Freight Services	***		36 to 38	18
Horse-power of Electric Locomotives			39	18
*				
CYLA DETENT	**			
CHAPTER V	/1			*
SURVEY OF EXISTING RAILWAY EL	ECTR	IFIC	ATION SYST	TEMS
Extent of World Electrification on Various	us Svs	tems		
(Table 6)			40	19
Direct Current Sytems			41	20
Spacing of Sub-stations (Table 7)			42	20-21
Effects of Voltage on the Cost of Rolling S	Stock		43	20
The Direct Current Traction Motor			44	21
Comparison of Overhead Line and Cond	luctor	Rail		
Systems	•••	• • •	45 and 46	21-22
Icing	•••		47	22
Restoration after Damage			48	22
Reference to Electrolysis and Interference	with C	lom-	40	00
munication Circuits	•••	• • •	49	22
Locomotives for Conductor Rail Operation		• • • •	50	22
Sighting of Signals with Overhead Line Sy	ystem	• • •	51	23
Alternating Current Single-phase System-			52	23
Voltages			52	23
Frequencies			53	23
Effects of High Voltage on Cost of Installa	ation		54	23
Spacing of Sub-stations			55	23-24
Conversion Efficiencies			55	24

Traction

...

Traction

56 and 57

58

59

60 to 63 64

64

64

64

24

24-25

25

25-26

26

26

26

26

Conversion Efficiencies ...

Effects on Signalling ...

Motor

Italian Experience

The Alternating Current (Single-phase)

Motor and Control Gear ...

Interference with Telecommunications

Examples of Single-phase Electrification

Alternating Current Three-phase System-

Complications of Track Equipment ...

The Alternating Current (Three-phase)

CHAPTER VII

RECENT TECHNICAL ADVANCES AND POSSIBLE FUTURE DEVELOPMENTS

	Paragraphs	Pages
The Mercury-arc Rectifier	66	27
Application of Mercury-arc Rectifiers to Sub-stations,		
Locomotives and Motor-coaches, and for Frequency		a= aa
Conversion	67 and 68	27-28
The Experimental Ignitron Motor-coach, Pennsylvania	60	00
R.R	69 70	28
Flywheel Locomotive for Conductor Rail Operation	70	29
The Single-phase Low-frequency Alternating Current Traction Motor	. 71	29
The Single-phase 50-cycle Alternating Current System	72	29-30
Experimental Locomotives on the Höllentalbahn	73	30
Experiments to be undertaken on French National Rail-		
ways	74	30
Experimental Locomotives for the French National		
Railways	75	31
Reference to Unbalance of Single-phase Load	76	31
The Single-phase 50-cycle Alternating Current Traction		24 22
Motor	77	31-32
Other Recent Developments	78	32
Auxiliary Machines	78 (i)	32
Improved Direct Current Traction Motors	78 (ii) & (iii)	32
Rotating Direct Current Voltage Transformers	78 (iv)	32
Possible Future Lines of Development	79	32
Higher Direct Current Voltage and its Effect on Elec-	, ,	
trical Equipment of Locomotives and Coaches	80 to 82	32-33
Electronic Control for Direct Current Traction		
Equipment	83	33
CHADTED VIII		
CHAPTER VIII		
RECENT DECISIONS IN OTHER COU	NTRIES	
Belgium	85	35
Brazil	86	35
Czechoslovakia	87	35
France	88	35-36
Holland	89	36
Italy	90	36-37
Poland	91	37
Russia	92	37
South Africa	93	38
Spain	94	38
United States Ind	95	38
Other Countries	96	38-39
Trend Ct I	97	39

CHAPTER IX

FINANCIAL COMPARISONS BETWEEN DIFFERENT SYSTEMS

THATCHAE COMPARISONS DELWEEN DITE	ICENTIAL DIDI	MINE		
	Paragraphs	Pages		
Economic Effects of raising the System Voltage and Relationship of Traffic Density to System Voltage Brief Characteristics of Four Schemes selected for Pre-	99 to 102	41		
paration of Comparative Estimates on Four Systems of Electrification and the Basis of the Estimates	103 to 107	42-43		
The Comparative Estimates (Table 8)	108	43-46		
CHAPTER X				
A SINGLE SYSTEM OF ELECTRIFIC	ATION			
The Advantages of a Single System of Electrification	109	47		
The Southern Region Third Rail System	110 and 111	47		
Other Conductor Rail Installations	112	48		
Disadvantages of Third Rail System as a General Stan-				
dard	113 to 115	48		
Recommendation for Overhead Line System at a Single				
Voltage	116	49		
CHAPTER XI				
EXISTING THIRD RAIL INSTALLAT	TIONS			
Route and Single-track Mileage Third Rail	117	51		
Scope for Third Rail System in the Southern Region	118	51		
Consideration of Lines—				
East of Portsmouth	119	51-52		
West of Portsmouth (Table 9)	120 to 127	52-54		
Recommendation for Southern Region (Map G)	128	54		
Recommendation for Other Regions' Third Rail In-	140	0.1		
stallations	129	54		
CHAPTED VII				
CHAPTER XII				
EXISTING FOURTH RAIL INSTALLA	HONS			
Route and Single-track Mileage Fourth Rail	130	55		
Differences between Third and Fourth Rail Systems	131	55		
Special Conditions on London Transport	132	55		
Consideration of Signalling	133 to 135	56		
Rail Bonds, Third and Fourth Rail Systems	136	56		
Faults in the Power Circuits	137	56-57		
Limitation of Fault Currents	138	57 .		
Voltage Surges	139	57		
Resistance Losses	140	57		
Leakage of Current from Running Rails	141	57-58		
Track Maintenance	142	58		
Possibilities of converting Fourth Rail to Third Rail				
System	143	58		
Recommendation on Fourth Rail System	144 and 145	58		

CHAPTER XIII

INTERRUNNING

	Paragraphs	Pages
General Question of Interrunning and Implication of the London Plan Working Party's Recommenda- tions and of the Pringle Committee's Recommenda-	0 1	. 0
tions	146 to 148	59
Present Arrangements whereby London Transport trains		
run over Third Rail System of Southern Region	149 and 150	59-60
Dual Electrical Equipments for Locomotive and Multiple-unit Motor-coach Operation—		
750- and 1,500-volt Direct Current Systems	151 and 152	60-61
750- and 3,000-volt Direct Current Systems	153 to 158	61-62
1,500- and 3,000-volt Direct Current Systems	159 to 160	62-63
Direct Current and Single-phase Low-frequency Alter-		
nating Current Systems	161 to 164	63-64
Direct Current and Single-phase 50-cycle Alternating		
Current Systems	165 and 166	64
Through-working between Southern and Other Regions	167 and 168	64
Cross-London Freight and Van Traffic (Table 10)	169	64-65
Further Consideration of London Plan Working Party's		
Proposals particularly in relation to Dual-equipment of Track and Rolling Stock	170 to 173	65-66
of Track and Rolling Stock Recommendation on Number of Dual-equipped Loco-	170 to 175	03-00
motives	174	66
· · · · · · · · · · · · · · · · · · ·		
CHAPTER XIV		
CHAPTER XIV RECOMMENDATIONS FOR SYSTEMS TO I	BE ADOPTE	D
RECOMMENDATIONS FOR SYSTEMS TO I	BE ADOPTE	D
RECOMMENDATIONS FOR SYSTEMS TO I	BE ADOPTE	D
RECOMMENDATIONS FOR SYSTEMS TO I	BE ADOPTE	D
RECOMMENDATIONS FOR SYSTEMS TO I Possibilities of Single-phase 50-cycle System in considera- tion of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System	176 to 181	67-68
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use		
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and	176 to 181 182	67-68 68
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System	176 to 181 182 183 to 191	67-68 68 69-70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS	176 to 181 182 183 to 191 192	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS Definition of System Voltage	176 to 181 182 183 to 191	67-68 68 69-70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS Definition of System Voltage	176 to 181 182 183 to 191 192	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS Definition of System Voltage CHAPTER XV	176 to 181 182 183 to 191 192 193 and 194	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS CHAPTER XV RECOMMENDATIONS ON OTHER MAT	176 to 181 182 183 to 191 192 193 and 194 TERS IN	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use Influence of the Comparative Estimates of Cost and Other Factors on the Choice of System RECOMMENDATIONS CHAPTER XV RECOMMENDATIONS ON OTHER MAT THE PRINGLE COMMITTEE REPORTS	176 to 181 182 183 to 191 192 193 and 194 TERS IN	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use	176 to 181 182 183 to 191 192 193 and 194 TERS IN	67-68 68 69-70 70
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use	176 to 181 182 183 to 191 192 193 and 194 TERS IN ORT	67-68 68 69-70 70 70-71
RECOMMENDATIONS FOR SYSTEMS TO IT Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use	176 to 181 182 183 to 191 192 193 and 194 TERS IN	67-68 68 69-70 70 70-71
Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use	176 to 181 182 183 to 191 192 193 and 194 TERS IN ORT	67-68 68 69-70 70 70-71
Possibilities of Single-phase 50-cycle System in consideration of Questions of Interrunning, Unbalance on Supply System, Interference with Communication Circuits and Experimental Nature of the System Considerations of Systems in General Use	176 to 181 182 183 to 191 192 193 and 194 TERS IN ORT 195 196 and 197	67-68 68 69-70 70 70-71

CHAPTER XVI

ELECTRICAL OPERATION OF FREIGHT SERVICES AND SHUNTING

Freight Services—	Paragraphs	Pages		
Locomotives for Operation on Conductor Rails	211	77		
Mixed Traffic Locomotives	212 and 213	77		
Weight available for Adhesion	214	77-78		
Electric Braking	215	78		
Shunting—				
Diesel-electric Locomotives	217	78		
Confinement of Electric Locomotives to Electrified	217	70		
Lines	218	78		
Disadvantages of Conductor Rails in Yards and Over-				
head Lines in Areas where Cranes are used	219	78		
New York Central Diesel-electric Shunting Locomo-		=0		
tives with Battery Capacity	220	79		
British Railways' Tentative Design for Electric Loco- motive with Auxiliary Diesel-engine-driven Genera-				
tor	221	79		
Recommendation	222	79		
CHAPTER XVII				
SUMMARY OF CONCLUSIONS				
Summary of the Main Recommendations upon each of				
the Terms of Reference	223 to 237	81-83		
CHAPTER XVIII	2 9 8 *			
ACKNOWLEDGMENTS	238 to 240	85-86		
A DOMESTIC OF THE PARTY OF THE	200 to 210	00 00		
APPENDIX				
Report on Visit of certain Members of the Committee	to Italy and	Pages		
Germany, on Question of Electrolytic Corrosion,	Electro-mag-			
netic Induction, the Single-phase, 50-cycle Alterna	ting Current			
System, Frequency-changing Sub-stations and Othments		87-94		
ments		07-34		
MAPS				
A. Traffic Density.				
B. Electrified Lines—Southern—Outer Area.		1		
C. " "—London Area.				
D. " "—Manchester Area.				
E. " "—Liverpool Area.				
F. " —Newcastle Area, and Lancashire, I sham.	Morecambe an	d Hey-		
G. Recommended Boundary of Third Rail Electrification—Southern Region.				

DRAWING

Standardisation of Overhead Contact Wires and Current Collectors.

LIST OF TABLES IN REPORT

			Pages
Table	1	Mileage Statistics: Railway and London Transport Executives: December 31st, 1949	7
Table	2	Rolling Stock (excluding service vehicles) Railway and London Transport Executives: December 31st, 1949	7
Table	3	Train Miles, Wagon Miles, and Net Ton-miles (Freight): Railway Executive Lines: 1948	8
Table	4	Traffic Density: British Railways: 1949	9
Table	5	Electrification on British Railways, in Operation and under Construction	11
Table	6	Approximate Mileage of Railway Electrification in All Countries on Differing Systems and Voltages	19
Table	7	Examples of Spacing of Sub-stations for Direct Current Systems	21
Table	8	Particulars of Comparative Estimates of Typical Schemes on Alternative Electrical Systems	44-45
Table	9	Booked Services in Down Direction over the Four-track Section through Farnborough of Southern Region Main	
serble seri		Line	52
Table	10	Cross-London Freight and Van Traffic	65