AN INTRODUCTION TO RAILWAY ENGINEERING

A SHORT TEXTBOOK OF THE THEORY AND PRACTICE OF RAILWAY SURVEYING, CONSTRUCTION AND SIGNALLING FOR THE USE OF STUDENTS AND CIVIL ENGINEERS

by

RONALD A. INGLIS B.Sc., A.M.I.C.E.

Late Assistant Engineer, Buenos Aires Great Southern and Western Railways Lecturer on Railway Engineering University College, London

With a Foreword by

JAMES P. PATON B.Sc., M.I.C.E. Late Engineer-in-Chief of the Buenos Aires Great Southern and Western Railways



LONDON

CHAPMAN & HALL LTD 37 Essex Street, W.C.2

1953

CONTENTS

Chapi	ter	Page
I	RAILWAY SURVEYING	
	Reconnaissance . Ocular illusions—Choice of route—Development—Instru-	1
	Preliminary Surveys	9
II	RAILWAY LOCATION	
	Economic Theory of Location Length of line—Access to towns and termini—Minor and major details of alignment—Balance of gradients for unequal traffic—Projecting low gradients—Expedients for reducing rate and cost of high gradients—Zigzag develop- ments—Spirals—Switchbacks—Rack railways.	16
III	LOCATION SURVEYS	
	Paper location—Final or field location—Cross-sections	30
IV	RAILWAY CONSTRUCTION	
	Permanent Way Materials Ballast—Sleepers—Chairs—Fastenings for flat-bottomed rail—Fastenings for Bull-head track—Rails—Rail sections —Fishplates—Rail anchors—Standardisation of railway materials.	42
37	A	
V	ALIGNMENT	67
	General considerations—Curve notation—Designation of curves—Measurement of curves—Location of curves— By deflection angles—By offsets—By offsets from the chords produced—By offsets from the tangents—By middle or- dinates—String-lining of curves.	07
VI	ALIGNMENT	
	Compound Curves	88
	Transition CurvesApplication of cantShift Superelevation or cantLength of transitionAmount of shiftTransition curves without shiftArgentine State	91
	Vertical Curves	108

CONTENTS

VII	EABTIN	DE AND	For		NON							
V II	Carrent Cor	ANL ANL	1.01	X M A I	IUN						111	
	Slips—S	Slips in fill	s—Fil	is—D	rainag	e of c	uts.	•	•	•	111	
	Calculation	of Earthw	orks	ional		•	•	•	• •	•	116	
	Setting-out I	Earthwork	55-5CCL	·							121	
	Construction	n Methods	S Excave	ting (rock	Eill		•	•	122	
	Formation .	·		·	·	·	-1°m	•			128	
X/TTT	Derrigme		Dr i	mer	****	-						
VIII	DALLASII.	NG AND	PLA	TELA	ATING	1					122	
	Spreadi	ng—Liftir	Ig—Pa	cking	· —Box	ing.	•	•	·	•	152	
	Platelaying	ical aida									139	
	for curvature—Widening of gauge—Check rails—Short rail											
	for curv	ves.										
IX	SWITCHES	S AND (ROSS	INGS	3							
	Turnouts										148	
	Switche	s—Heel-le	ess sy	witche	s—Co	mmo	n cro	ossing	s—Di	a-	110	
100	mond c Calcula	tions of	-Switch	h dian and r	nonds adii c	-Spr.	ing-ra	11 cros —Tria	ssings- ingles-			
Kiels	Intersec	cting curv	es-Ci	rossov	vers-	Single	and	doub	le slip	s.	164	
	Gatheri	ing lines.		•	•	•	•	•	•	•	104	
	Marshalling	Yards	tion N	orde	Цулт	• •	· de	Sidina	· Fo		166	
	Layout—Gravitation yards—Hump yards—Sidings—For- mation of reception, sorting and departure sidings—Hump											
	operation Goods Stati	on—Layo	ut of s	witch	es.						172	
	Passenger T	'erminals	:		:	:	:	:			173	
v	DATT WAY	SIGNA										
Λ	KAILWAY	BIGNA	LLINC	J 	hlask	alar	0111	. To	alc ar	a.d		
	block	system_I	nterlo	cking-	-Trac	ck ci	rcuits-	-Pov	ver si	g-		
	nalling-	-Automa	tic an	d ser	ni-aut	omati	c sign	nalling	g-Mu	ıl-		
	—Four	-aspect color	gnallin	ig—Fi	ive-asp	bect s	ignalli	ing		•	175	
	APPENDI	X I									107	
	British Railways Standard Permanent Way for Main Line . Quantities of Track Materials per Mile of Track.										187	
	Appendi	x II										
	Worked Examples											
	Reference	s .	•						•		193	
	Index									•	196	

х